

MedStar Health, Inc.

POLICY AND PROCEDURE MANUAL

Policy Number: MP.131.MH
Last Review Date: 02/21/2019
Effective Date: 04/01/2019

MP.131.MH – Low Dose CT Scan for Lung Cancer Screening

This policy applies to the following lines of business:

- ✓ MedStar Employee (Select)
- ✓ MedStar CareFirst PPO

MedStar Health considers **Low Dose Computed Tomography (CT) Scan for Lung Cancer Screening** is only recommended for those members who meet all of the following criteria:

1. Adults age 55-80
2. Tobacco smoking history of at least 30 pack-years (one pack-year = smoking one pack per day for one year, one pack = 20 cigarettes)
3. Asymptomatic (no signs or symptoms of lung cancer)
4. Facility performing the Low-Dose CT scans must meet certain criteria (see below)
5. Current smokers **or** former smokers who have quit within the previous 15 years

FOLLOW UP:

1. After the initial baseline LDCT scan:
 - No lung nodules detected;
Continue annual LDCT screening
 - Non-solid nodule detected;
 - if **<5 mm** in size → get follow-up LDCT in 12 months
 - if **5-10 mm** in size → get follow-up LDCT in 6 months
 - if **>10 mm** in size → get follow-up in 3-6 months
 - Solid or part-solid nodule detected;
 - if **≤4 mm** in size → continue annual LDCT screening
 - if **4.1-6 mm** in size → get follow-up LDCT in 6 months
 - if **6.1-8 mm** in size → get follow-up LDCT in 3 months
 - if **>8 mm** in size → Consider PET/CT
 - Solid endobronchial nodule detected;
 - Get follow-up LDCT in 1 month

Limitations

1. Low-dose CT screening is not indicated and/or covered when:
 - Used as a mass screening tool for the general population.
 - Member has metal implants in the chest (pacemakers) or back (rods in the spine)

MP.131.MH – Low Dose CT Scan for Lung Cancer Screening

Policy Number: MP.131.MH

Last Review Date: 02/21/2019

Effective Date: 04/01/2019

- Member has had a full dose chest CT scan within the past year
 - Member is being treated for any other cancer of any type, except for non-melanoma skin cancer
 - Member has a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery
2. The test is considered experimental/investigational for all members who do not meet the stated indications listed above.
 3. Screening is intended to be used as an adjunct to and not a substitute for smoking cessation.
 4. Screening should be discontinued if a person develops a health problem that substantially limits life expectancy or the ability or willingness to have curative lung surgery.

Background

According to the American Cancer Society (ACS), lung cancer is the second most common cancer in both men and women and accounts for nearly 13% of all new cancers. The latest 2015 statistics reveal that there were about 221,200 new cases of lung cancer in the United States and an estimated 158,040 deaths from lung cancer in the past year. ACS also reports that lung cancer is the leading cause of cancer death, accounting for nearly 27% of all cancer deaths.

The Centers for Disease Control and Prevention (CDC) states that cigarette smoking is the leading risk factor for lung cancer. Smoking is tied to nearly 90% of lung cancer diagnoses in the United States.

Computed tomography (CT) is an imaging procedure that uses specialized x-ray equipment to create detailed pictures of areas inside the body. Low dose computed tomography (LDCT) is a chest CT scan performed at settings to minimize radiation exposure compared to a standard chest CT.

Codes:

CPT Codes / HCPCS Codes / ICD-10 Codes	
Code	Description
S8032	Low-dose computed tomography for lung cancer screening
71250	CT chest w/o contrast
G0296	Counseling visit to discuss need for lung cancer screening (LDCT) using low-dose CT scan (service is for eligibility determination and shared decision making)
G0297	Low-dose CT scan (LDCT) for lung cancer screening

MP.131.MH – Low Dose CT Scan for Lung Cancer Screening

Policy Number: MP.131.MH
Last Review Date: 02/21/2019
Effective Date: 04/01/2019

ICD-10 codes covered if selection criteria are met:	
Z12.2	Encounter for screening for malignant neoplasm of respiratory organs
Z87.891	Personal history of nicotine dependence

References

1. Centers for Disease Control and Prevention(CDC). Lung Cancer - What Are the Risk Factors? Last reviewed/last updated: July 19, 2018. Available from: http://www.cdc.gov/cancer/lung/basic_info/risk_factors.htm
2. Centers for Medicare and Medicaid Services (CMS). Decision Memo for Screening for Lung Cancer with Low Dose Computed Tomography (LDCT) (CAG-00439N). February 5, 2015. <https://www.cms.gov/medicare-coverage-database/details/nca-decision-memo.aspx?NCAId=274>
3. Centers for Medicare and Medicaid Services (CMS). MEDCAC Meeting: Lung Cancer Screening with Low Dose Computed Tomography. April 30, 2014. <https://www.cms.gov/medicare-coverage-database/details/medcac-meeting-details.aspx?MEDCACId=68>
4. Hayes Medical Technology Directory. Low Dose Helical (Spiral) Computed Tomography for Lung Cancer Screening. Annual Review April 24, 2015. Archived May 04, 2018.
5. Hsieh J. Computed Tomography, Second Edition: Principles, Design, Artifacts, and Recent Advances. SPIE Press Monograph (Vol PM188) Published: 2009. Accessed: Jan. 19, 2017. Available from: SPIE Digital Library. at: <http://ebooks.spiedigitallibrary.org/book.aspx?bookid=92>
6. Lung Cancer 101 - Types and Staging of Lung Cancer. New York: CancerCare®. Accessed: Jan. 19, 2017. © 2019, CancerCare®. Available from: http://www.lungcancer.org/find_information/publications/163-lung_cancer_101/268-types_and_staging
7. Lung Cancer Fact Sheet. American Lung Association Washington DC: Last Updated: December 14, 2018. Available from: <http://www.lung.org/lung-disease/lung-cancer/resources/facts-figures/lung-cancer-fact-sheet.html#1>
8. Naidich DP, Bankier AA, MacMahon H, et al. Recommendations for the management of subsolid pulmonary nodules detected at CT: s statement from the Fleischner Society. Radiology. 2013 Jan; 266(1):304-317. http://pubs.rsna.org/doi/abs/10.1148/radiol.12120628?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed&
9. National Institutes of Health (NIH). National Cancer Institute (NCI). NCI Dictionary of Cancer Terms: “pack day.” Accessed: Jan 30, 2019. Available from: <http://www.cancer.gov/dictionary?cdrid=306510>

MP.131.MH – Low Dose CT Scan for Lung Cancer Screening

Policy Number: MP.131.MH

Last Review Date: 02/21/2019

Effective Date: 04/01/2019

10. National Lung Screening Trial Research Team. Reduced lung-cancer mortality with low-dose computed tomographic screening. N Engl J Med. 2011 Aug; 365(5):395-409. <http://www.nejm.org/doi/pdf/10.1056/NEJMoa1102873>
11. Samet J, Crowell R, Estepar R, et al. Providing Guidance on Lung Cancer Screening To Patients and Physicians. American Lung Association. Dated: Apr. 23, 2012. Last Reviewed: Dec. 18, 2017. Available from: <http://www.lung.org/finding-cures/research-news/new-screening-guidelines/lung-cancer-screening.pdf>
12. U.S. Preventative Services Task Force (USPSTF). Lung Cancer: Screening. Release Date December 2013. <http://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/lung-cancer-screening>
13. What are key statistics about lung cancer? American Cancer Society. Last Medical Review: 02/08/2016. Last Revised: 01/08/2019. ©2015, American Cancer Society. Available from: <http://www.cancer.org/cancer/lungcancer-non-smallcell/detailedguide/non-small-cell-lung-cancer-key-statistics>

Disclaimer:

MedStar Health medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of MedStar Health and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

MedStar Health reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent Health. Any sale, copying, or dissemination of said policies is prohibited.