# MedStar Health, Inc. POLICY AND PROCEDURE MANUAL

Policy Number: MP.087.MH Last Review Date: 11/03/2016 Effective Date: 01/01/2017

#### MP.087.MH – Intraoperative Neurophysiological Testing

This policy applies to the following lines of business:

- ✓ MedStar Employee (Select)
- ✓ MedStar MA DSNP CSNP
- ✓ MedStar CareFirst PPO

MedStar Health considers **Intraoperative Neurophysiological Testing** medically necessary for the following indications:

- Surgery of the aortic arch, its branch vessels, or thoracic aorta, including carotid artery surgery, when there is a risk of cerebral or spinal cord ischemia
- Resection of epileptogenic brain tissue or tumor
- Resection of brain tissue close to the primary motor cortex and requiring brain mapping
- Protection of cranial nerves associated with any of the following:
  - a. Tumors that affect optic, trigeminal, facial, auditory nerves
  - b. Cavernous sinus tumors
  - c. Microvascular decompression of cranial nerves
  - d. Skull base surgery in the vicinity of the cranial nerves and surgeries of the foramen magnum
  - e. Oval or round window graft
  - f. Laryngeal nerve for thyroid surgeries
- Endolymphatic shunt for Meniere's disease
- Vestibular section for vertigo
- Correction of scoliosis or deformity of spinal cord involving traction on the cord
- Protection of spinal cord where work is performed in close proximity to cord as in the placement or removal of hardware or where there have been numerous interventions
- Spinal instrumentation requiring pedicle screws or distraction
- Decompression procedures on the spinal cord or cauda equine carried out for myelopathy or claudication where function of spinal cord or spinal nerves is at risk
- Spinal cord tumors and spinal fractures (with risk of cord compression)
- Neuromas of peripheral nerves of brachial plexus, when there is risk to major sensory or motor nerves
- Surgery or embolization for intracranial arteriovenous malformations
- Surgery for arteriovenous malformation of spinal cord



Policy Number: MP.087.MH Last Review Date: 11/12/2016 Effective Date: 01/01/2017

- Embolization of bronchial artery arteriovenous malformations for tumors
- Cerebral vascular aneurysms
- Surgery for intractable movement disorders
- Arteriography, during which there is a test occlusion of the carotid artery
- Circulatory arrest with hypothermia (does not include surgeries performed under circulatory bypass (e.g., coronary artery bypass grafting (CABG), ventricular aneurysms)
- Distal aortic procedures, where there is risk of ischemia to spinal cord
- Leg lengthening procedures, where there is traction on sciatic nerve or other nerve trunks
- Basal ganglia movement disorders
- Surgery as a result of traumatic injury to spinal cord/brain
- Deep brain stimulation

#### Limitations

- The test must be requested by the operating surgeon and the monitoring must be performed by a clinically trained neurophysiologist (MD/DO) other than the operating surgeon, the surgical assistant, or the anesthesiologist rendering the anesthesia due to the high potential for morbidity.
  - Claims submission must include documentation for the time devoted to direct monitoring of the patient (time may be cumulative)
- A technologist must be present continuously in the operating suite recording and monitoring a single case under the neurophysiologist's supervision. This technologist must have either the physical or electronic capacity for real-time communication with the supervising neurophysiologist
- The surgical team and the monitoring staff must always be able to be in immediate contact with each other.
- Services must be performed in the inpatient setting only.
- Intraoperative monitoring is not medically necessary in situations where historical data and current practices reveal no potential risk to neural integrity during surgery.
- For coverage of remote monitoring (as mentioned above) the neurophysiologist must have immediate physical or real-time communication with the operating room. He/she must have the ability to watch the tracings as they are obtained in real-time in the operating room as well as the baseline electrophysiological test and the monitoring tracings from earlier in the case.
- The monitoring physician must have a plan in place to transfer care to another physician, should any other situation arise during patient monitoring.
- Technical criteria it is mandatory that at least 8 recording channels (16 if EEG is monitored) be available for all Intraoperative neurophysiological monitoring



Policy Number: MP.087.MH Last Review Date: 11/12/2016 Effective Date: 01/01/2017

(IONM). The equipment utilized must also provide for all of the monitoring modalities that are needed such as auditory-evoked response, electroencephalography/electrocorticography, electromyography/nerve conduction, and somatosensory-evoked response.

 IONM during thyroid surgery is considered reasonable and necessary if the monitoring service adheres to the essential standards described above, and the surgical procedure involves the high-risk total removal of a complete lobe of the thyroid, removal of the entire gland, or involves re-entry (re-operation) to a prior surgical field where scar tissue obscures the visual path of the recurrent laryngeal nerve. The Contractor reserves the right to remove coverage for monitoring during thyroid surgery if the literature ultimately does not support this monitoring.

#### Background

The Centers for Medicare and Medicaid Services (CMS) provides an overview on Intraoperative neurophysiological testing (IONT), stating that it may be used to identify/prevent complications during surgery on the nervous system, its blood supply, or adjacent tissue. Monitoring can identify new neurologic impairment, identify or separate nervous system structures (e.g., around or in a tumor) and can demonstrate which tracts or nerves are still functional.

Intraoperative neurophysiological testing may provide relative reassurance to the surgeon that no identifiable complication has been detected up to a certain point, allowing the surgeon to proceed further and provide a more thorough or careful surgical intervention than would have been provided in the absence of monitoring. Monitoring, if used to assess sensory or motor pathways, should assess the appropriate sensory or motor pathways. Incorrect pathway monitoring could miss detection of neural compromise and has been shown to have resulted in adverse outcomes.

| 00005.   |   |
|--|---|
| CPT Codes / HCPCS Codes / ICD-10 Codes             |   |
| Code   | Description   |
| CPT Codes *CPT Code 95941 is invalid for Medicare* |   |
| 95940  | Continuous intraoperative neurophysiology monitoring in the operating<br>room, one on one monitoring requiring personal attendance, each 15<br>minutes (List separately in addition to code for primary procedure and<br>in conjunction with the study performed) |
| *95941   | Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby) or for monitor of more than one  |

#### Codes:



|                | case within in the operating room, per hour (List separately in addition<br>to code for primary procedure and in conjunction with the study<br>performed)   |
|----------------|---|
| HCPCS codes of | covered if selection criteria are met (If Appropriate):   |
| G0453          | Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per patient, (attention directed exclusively to one patient each 15 minutes (List in addition to primary procedure. |
| ICD-9 codes co | vered if selection criteria are met:  |
| 170.2          | Malignant neoplasm of vertebral column excluding sacrum and coccyx  |
| 192.0-192.9    | Malignant neoplasm of cranial nerves-malignant neoplasm of nervous system part unspecified  |
| 193            | Malignant neoplasm of thyroid gland   |
| 198.3          | Secondary malignant neoplasm of brain and spinal cord   |
| 198.4          | Secondary malignant neoplasm of other parts of nervous system   |
| 215.0          | Other benign neoplasm of connective or other soft tissue of head, face, and neck  |
| 225.0-225.9    | Benign neoplasm of brain-benign neoplasm of nervous system unspecified  |
| 237.0          | Neoplasm of uncertain behavior of pituitary gland and craniopharyngeal duct   |
| 237.1          | Neoplasm of uncertain behavior of pineal gland  |
| 237.3          | Neoplasm of uncertain behavior of paraganglia   |
| 237.5          | Neoplasm of uncertain behavior of brain and spinal cord   |
| 237.6          | Neoplasm of uncertain behavior of meninges  |
| 237.70-237.79  | Neurofibromatosis unspecified-Neurofibromatosis type 2 acoustic neurofibromatosis   |
| 237.9          | Neoplasm of uncertain behavior of other and unspecified parts of nervous system   |
| 239.6          | Neoplasm of unspecified nature of brain   |
| 246.9          | Unspecified disorder of thyroid   |
| 324.1          | Intraspinal abscess   |
| 336.0          | Syringomyelia and syringobulbia   |



| 343.8         | Other specified infantile cerebral palsy  |
|---------------|---|
| 343.9         | Infantile cerebral palsy unspecified  |
| 345.41        | Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy                              |
| 345.51        | Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, with mention of intractable epilepsy                    |
| 348.4         | Compression of brain  |
| 350.1         | Trigeminal neuralgia  |
| 350.2         | Atypical face pain  |
| 352.0-352.9   | Disorders of cranial nerves   |
| 353.0         | Brachial plexus lesions   |
| 353.1         | Lumbosacral plexus lesions  |
| 353.2         | Cervical root lesions, not elsewhere classified   |
| 353.3         | Thoracic root lesions not elsewhere classified  |
| 353.4         | Lumbosacral root lesions not elsewhere classified   |
| 385.30-385.35 | Cholesteatoma unspecified-Diffuse cholesteatosis of middle ear and mastoid  |
| 386.43        | Semicircular canal fistula  |
| 430           | Subarachnoid hemorrhage   |
| 431           | Intracerebral hemorrhage  |
| 432.0-432.9   | Nontraumatic extradural hemorrhage-unspecified intracranial hemorrhage  |
| 433.00-433.91 | Occlusion and stenosis of basilar artery without cerebral infarction-<br>occlusion and stenosis of unspecified precerebral artery with cerebral<br>infarction |
| 434.00-434.91 | Cerebral thrombosis without cerebral infarction-cerebral artery occlusion unspecified with cerebral infarction  |
| 435.0-435.9   | Basilar artery syndrome-unspecified transient cerebral ischemia   |
| 437.3         | Cerebral aneurysm nonruptured   |
| 437.5         | Moyamoya disease  |
| 441.00-441.03 | Dissection of aorta aneurysm unspecified site-Dissection of aorta thoracoabdominal  |



| 441.1-441.9   | Thoracic aneurysm ruptured-aortic aneurysm of unspecified site without rupture   |
|---------------|--|
| 443.21        | Dissection of carotid artery   |
| 443.24        | Dissection of vertebral artery   |
| 443.29        | Dissection of other artery   |
| 721.1         | Cervical spondylosis with myelopathy   |
| 721.41-721.42 | Spondylosis with myelopathy thoracic region-spondylosis with myelopathy lumber region  |
| 721.91        | Spondylosis of unspecified site with myelopathy  |
| 722.70-722.73 | Intervertebral disc disorder with myelopathy unspecified-intervertebral disc disorder with myelopathy lumbar region                |
| 723.0         | Spinal stenosis of in cervical region  |
| 724.00-724.09 | Spinal stenosis other than cervical  |
| 737.10-737.19 | Kyphosis (acquired)(postural)- other kyphosis acquired   |
| 737.20        | Lordosis (acquired) (postural)   |
| 737.22        | Other postsurgical lordosis  |
| 737.30-737.39 | Scoliosis (and kyphoscoliosis) idiopathic-other kyphoscoliosis and scoliosis   |
| 737.40-737.43 | Unspecified curvature of spine associated with other conditions-<br>scoliosis associated with other conditions                     |
| 737.8         | Other curvatures of spine associated with other conditions   |
| 741.00-741.03 | Spina bifida unspecified region with hydrocephalus-spina bifida lumbar region with hydrocephalus                                   |
| 741.90-741.93 | Spina bifida unspecified region without hydrocephalus-Spina bifida lumbar region without hydrocephalus                             |
| 747.81        | Congenital anomalies of cerebrovascular system   |
| 747.82        | Spinal vessel anolmaly   |
| 767.4         | Injury to spine and spinal cord due to birth trauma  |
| 767.5         | Facial nerve injury due to birth trauma  |
| 767.6         | Injury to brachial plexus due to birth trauma  |
| 767.7         | Other cranial and peripheral nerve injuries due to birth trauma  |
| 806.01-806.09 | Closed fracture of C1-C4 level with complete lesion of cord-closed fracture of C5-C7 level with other specified spinal cord injury |



| 806.10-806.19  | Open fracture of C1-C4 level with unspecified spinal cord injury-open fracture of C5-C7 level with other specified spinal cord injury       |
|----------------|---|
| 806.20-806.29  | Closed fracture of T1-T6 level with unspecified spinal cord-closed fracture of T7-T12 level with other specified spinal cord injury         |
| 806.30-806.39  | Open fracture of T1-T6 level with unspecified spinal cord injury-open<br>fracture of T7-T12 level with other specified spinal cord injury   |
| 806.4          | Closed fracture of lumbar spine with spinal cord injury   |
| 806.5          | Open fracture of lumbar spine with spinal cord injury   |
| 806.7-806.79   | Open fracture of sacrum and coccyx with unspecified spinal cord injury-<br>open fracture of sacrum and coccyx with other spinal cord injury |
| 806.8          | Closed fracture of unspecified vertebra with spinal cord injury   |
| 806.9          | Open fracture of unspecified vertebra with spinal cord injury   |
| 850.4          | Concussion with prolonged loss of consciousness without return to pre-<br>existing conscious level  |
| 953.0-953.9    | Injury to cervical nerve root- injury to unspecified site of nerve roots and spinal plexus  |
| 955.0-955.9    | Injury to axillary nerve-injury to unspecified nerve of shoulder girdle and upper limb  |
| 956.0-956.9    | Injury to sciatic nerve- injury to unspecified nerve of pelvic girdle and lower limb  |
| ICD-10 codes c | overed if selection criteria are met:   |
| C41.2          | Malignant neoplasm of vertebral column  |
| C70.0-C70.9    | Malignant neoplasm of meninges  |
| C72.0-C72.9    | Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system  |
| C73            | Malignant neoplasm of thyroid gland   |
| C79.3-C79.49   | Secondary malignant neoplasm of brain and other parts of nervous system   |
| D21.0          | Benign neoplasm of connective and other soft tissue of head, face, and neck   |
| D32.0-D33.9    | Benign neoplasm for meninges, brain, and other parts of central nervous system  |



| D42.0-D42.9                                 | Neoplasm of uncertain behavior of meninges   |
|---|--|
| D43.0-D43.9                                 | Neoplasm of uncertain behavior of brain and central nervous system   |
| D44.3-D44.7                                 | Neoplasm of uncertain behavior of pituitary, craniopharyngeal, and pineal glands-Neoplasm of uncertain behavior of carotid body, aortic body, and other paraganglia  |
| D49.6                                       | Neoplasm of unspecified behavior of brain  |
| E07.89-E7.9                                 | Other specified or unspecified disorders of thyroid  |
| G06.1                                       | Intraspinal abscess and granuloma  |
| G40.111-<br>G40.119;<br>G40.211-<br>G40.219 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple/complex partial seizures, intractable with or with status epileptics |
| G45.0                                       | Vertebro-basilar artery syndrome   |
| G45.1                                       | Carotid artery syndrome (hemispheric)  |
| G45.8                                       | Other transient cerebral ischemic attacks and related syndromes  |
| G45.9                                       | Transient cerebral ischemic attack, unspecified  |
| G46.0-G46.2                                 | Vascular syndromes of brain in cerebrovascular-middle, anterior, and posterior cerebral artery   |
| G50.0                                       | Trigeminal neuralgia   |
| G50.1                                       | Atypical facial pain   |
| G52.0-G52.9                                 | Disorders of cranial nerves  |
| G53   | Cranial nerve disorders in diseases classified elsewhere   |
| G54.0                                       | Brachial plexus disorders  |
| G54.1                                       | Lumbosacral plexus disorders   |
| G54.2                                       | Cervical root disorders, not elsewhere classified  |
| G54.3                                       | Thoracic root disorders, not elsewhere classified  |
| G54.4                                       | Lumbosacral root disorders, not elsewhere classified   |
| G80.4                                       | Ataxic cerebral palsy  |
| G80.8                                       | Other cerebral palsy   |
| G80.9                                       | Cerebral palsy, unspecified  |
| G93.5                                       | Compression of brain   |
| G95.0                                       | Syringomyelia and syringobulbia  |



| H71.00-H71.93 | Cholesteatoma of middle ear  |
|---------------|--|
| H74.40-H74.43 | Polyp of middle ear  |
| H83.11-H83.19 | Labyrinthine fistula   |
| 160.00-160.9  | Nontraumatic subarachnoid hemorrhage   |
| 161.0-161.9   | Nontraumatic intracerebral hemorrhage  |
| 162.00-162.9  | Nontraumatic subdural hemorrhage   |
| 163.00-163.9  | Cerebral infarction  |
| 165.01-165.9  | Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction |
| 166.01-166.9  | Occlusion and stenosis of cerebral arteries, not resulting in cerebral infraction    |
| 167.0         | Dissection of cerebral arteries, nonruptured   |
| 167.1         | Cerebral aneurysm, nonruptured   |
| 167.5         | Moyamoya disease   |
| 167.841       | Reversible cerebrovascular vasoconstriction syndrome                                 |
| 167.848       | Other cerebrovascular vasospasm and vasoconstriction                                 |
| 171.00        | Dissection of unspecified site of aorta  |
| 171.01        | Dissection of thoracic aorta   |
| 172.02        | Dissection of abdominal aorta  |
| 171.03        | Dissection of thoracoabdominal aorta   |
| 171.1         | Thoracic aortic aneurysm, ruptured   |
| 171.2         | Thoracic aortic aneurysm, without rupture  |
| 171.3         | Abdominal aortic aneurysm, ruptured  |
| 171.4         | Abdominal aortic aneurysm, without rupture   |
| 171.5         | Thoracoabdominal aortic aneurysm, rupture  |
| 171.6         | Thoracoabdominal aortic aneurysm, without rupture                                    |
| 171.8         | Aortic aneurysm of unspecified site, ruptured  |
| 171.9         | Aortic aneurysm of unspecified site, without rupture                                 |
| 177.71        | Dissection of carotid artery   |
| 177.74        | Dissection of vertebral artery   |
| 177.79        | Dissection of other artery   |



| 179.0               | Dissection of other artery   |
|---------------------|--|
| M40.00-M40.05       | Postural kyphosis  |
| M40.10-M40.15       | Other secondary kyphosis   |
| M40.202-<br>M40.209 | Unspecified kyphosis   |
| M40.292-<br>M40.299 | Other kyphosis   |
| M40.30-M40.37       | Flatback syndrome  |
| M40.40-M40.47       | Postural lordosis  |
| M40.50-M40.57       | Lordosis, unspecified  |
| M41.00-M41.9        | Scoliosis  |
| M43.8X1-<br>M43.8X9 | Other specified deforming dorsopathies   |
| M47.011-<br>M47.029 | Anterior spinal and vertebral artery compression syndromes- Vertebral artery compression syndromes |
| M47.10              | Other spondylosis with myelopathy, site unspecified  |
| M47.11              | Other spondylosis with myelopathy, occipito-atlanto-axial region                                   |
| M47.12              | Other spondylosis with myelopathy, cervical region   |
| M48.00-M48.08       | Spinal stenosis  |
| M50.00-M50.03       | Cervical disc disorder with myelopathy-  |
| M51.04              | Intervertebral disc disorders with myelopathy, thoracic region                                     |
| M51.05              | Intervertebral disc disorders with myelopathy, thoracolumbar region                                |
| M51.06              | Intervertebral disc disorders with myelopathy, lumbar region                                       |
| M51.9               | Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder                   |
| M96.2               | Postradiation kyphosis   |
| M96.3               | Postlaminectomy kyphosis   |
| M96.4               | Postsurgical lordosis  |
| M96.5               | Postradiation scoliosis  |
| P11.3               | Birth injury to facial nerve   |
| P11.5               | Birth injury to spine and spinal cord  |
| P14.0               | Erb's paralysis due to birth injury  |



| P14.1                 | Klumpke's paralysis due to birth injury  |
|-----------------------|--|
| P14.3                 | Other brachial plexus birth injuries   |
| P14.8                 | Birth injuries to other parts of peripheral nervous system   |
| P14.9                 | Birth injury to peripheral nervous system, unspecified   |
| Q05.0                 | Cervical spinda bifida with hydrocephalus  |
| Q05.1                 | Thoracic spina bifida with hydrocephalus   |
| Q05.2                 | Lumbar spina bifida with hydrocephalus   |
| Q05.3                 | Sacral spina bifida with hydrocephalus   |
| Q05.4                 | Unspecified spina bifida with hydrocephalus  |
| Q05.5-Q05.9           | Cervical, thoracic, lumbar, sacral, and unspecified spinal bifida without hydrocephalus                      |
| Q07.00                | Arnold-Chiari syndrome without spina bifida or hydrocephalus   |
| Q07.01                | Arnold-Chiari syndrome with spina bifida   |
| Q07.02                | Arnold-Chiari syndrome with hydrocephalus  |
| Q07.03                | Arnold-Chiari syndrome with spina bifida and hydrocephalus   |
| Q27.9                 | Congenital malformation of peripheral vascular system, unspecified   |
| Q28.2                 | Arteriovenous malformation of cerebral vessels   |
| Q28.3                 | Other malformations of cerebral vessels  |
| Q85.0-Q85.09          | Neurofibromatosis  |
| S06.0X6A              | Concussion with loss of consciousness greater than 24 hours with return to pre-existing conscious level      |
| S06.0X6D-<br>S06.0X6S | Concussion with loss of consciousness without return to pre-existing conscious level (greater than 24 hours) |
| S12.000A-<br>S12.9XXS | Fracture of cervical vertebra and other parts of neck  |
| S14.0XXA-<br>S14.9XXS | Injury of nerves and spinal cord at neck level   |
| S22.000A-<br>S22.089S | Fracture of the thoracic vertebra  |
| S24.0XXA-<br>S24.9XXS | Injury of nerves and spinal cord at thorax level   |
| S32.000A-<br>S32.059S | Open/closed fractures of lumbar spine  |



Policy Number: MP.087.MH Last Review Date: 11/12/2016 Effective Date: 01/01/2017

| S32.10XA-<br>S32.2XXS  | Open/closed fractures of sacrum and coccyx                                  |
|------------------------|---|
| S34.01XA-<br>S34.01XS  | Concussion and edema of lumbar spinal cord                                  |
| S34.02XA-<br>S34.03XS  | Concussion and edema of sacral spinal cord                                  |
| S34.101A-<br>S34.129S  | Injuries of lumbar spine and spinal cord                                    |
| S34.131A-<br>S34.139S  | Injuries of sacral spine and spinal cord                                    |
| S34.21XA-<br>S34.9XXS  | Injuries of nerve root of lumber, sacral, and unspecified nerves at abdomen |
| S44.00XA-<br>S44.92XS  | Injuries of nerves at shoulder and upper arm level                          |
| S54.00XA-<br>S54.92XS  | Injuries of nerves at forearm level   |
| S64.00XA-<br>S64.92XS  | Injuries of nerves at wrist and hand level                                  |
| S74.00XA-<br>S74.92.XS | Injuries of sciatic verve and nerves at hip and thigh level                 |
| S84.00XA-<br>S84.92XS  | Injuries of nerves at lower leg level                                       |
| S94.00XA-<br>S94.92XS  | Injuries of nerves at ankle and foot level                                  |
|                        |   |

#### References

- American Academy of Neurology (AAN). Principles of Coding for Intraoperative Neurophysiologic Monitoring and Testing- AAN Model Medical Policy. Approved by the AAN Board of Directors, February 10, 2012. http://patients.aan.com/globals/axon/assets/9339.pdf
- American Society of Electroneurodiagnostic Technologists (ASET). ASET The Neurodiagnostic Society. Position Statement: Unattended Intraoperative Neurophysiologic Monitoring. Approved by the ASET Board of Trustees, March 2012.

http://www.aset.org/files/public/Unattended\_Monitoring\_Statement\_March\_2012. pdf



Policy Number: MP.087.MH Last Review Date: 11/12/2016 Effective Date: 01/01/2017

- 4. Department of Health and Human Services. Agency for Healthcare Research and Quality (AHRQ). National Guideline Clearinghouse (NGC) - Evidence-based Guideline Update: Intraoperative Spinal Monitoring with Somatosensory and Transcranial Electrical Motor Evoked Potentials. [Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology and the American Clinical Neurophysiology Society]. Last reviewed: June 26, 2012.

http://www.guideline.gov/content.aspx?id=36896&search=intraoperative+neurop hysiologic+monitoring

http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3422092/

- 5. Hayes Summary. Intraoperative Neurophysiological Monitoring (IONM) During Spinal Surgery. November 6, 2014.
- Kim SM, Kim SH, Seo DW, et al. Intraoperative neurophysiologic monitoring: basic principles and recent update. J Korean Med Sci. 2013 Sep;28(9):1261-1269. doi: 10.3346/jkms.2013.28.9.1261. Epub 2013 Aug 28. <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3763097/</u>
- Ney JP, Nuwer M, Patel Ad, et al. Evidence-based Guideline Update: Intraoperative Spinal Monitoring with Somatosensory and Transcranial Electrical Motor Evoked Potentials: Report of the Therapeutics ad Technology Assessment Subcommittee of the American Academy of Neurology (AAN) and the American Clinical Neurophysiology Society. - Letters to Editor and Author Responses, July 16, 2012. Neurology. 2012 Jul; 79: 292-294. http://www.neurology.org/content/79/3/292.full.pdf+html
- Ney JP. Changes to CMS reimbursement rules for intraoperative neurophysiological monitoring: implications for telemedicine. Telemed J E Health. 2013 Oct;19(10):791-793. doi: 10.1089/tmj.2013.0004. Epub 2013 Aug 17. <u>http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3787403/</u>
- Nuwer MR, Emerson RG, Galloway G, et al. Evidence-based Guideline Update: Intraoperative Spinal Monitoring with Somatosensory and Transcranial Electrical Motor Evoked Potentials: Report of the Therapeutics ad Technology Assessment Subcomittee of the American Academy of Neurology (AAN) and the American Clinical Neurophysilogy Society. Neurology. 2012 Feb; 78: 585-589. <u>http://www.neurology.org/content/78/8/585.full.pdf+html</u>
- 10. Stanely AS, Cohen BA, Morledge DE, McAuliffe JJ, et al. Practice guidelines for the supervising professional: intraoperative neurophysiological monitoring. J Clin



Policy Number: MP.087.MH Last Review Date: 11/12/2016 Effective Date: 01/01/2017

Monit Comput. 2013 Sept;11. doi: 10.1007/s10877-013-9496-8 http://c.ymcdn.com/sites/www.asnm.org/resource/resmgr/docs/practice\_guideline s\_for\_the\_.pdf

11. Stecker MM. A review of intraoperative monitoring for spinal surgery. Surg Neruol Int. 2012 Jul; 3(Suppl 3): S174-S187. http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3422092/

#### **Disclaimer:**

MedStar Health medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of MedStar Health and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

MedStar Health reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent Health. Any sale, copying, or dissemination of said policies is prohibited.

