

MedStar Health, Inc.

POLICY AND PROCEDURE MANUAL

Policy Number: PA.030.MH
Last Review Date: 08/04/2016
Effective Date: 09/01/2016

PA.030.MH – Transplant: Pediatric Heart

This policy applies to the following lines of business:

- ✓ MedStar Employee (Select)
- ✓ MedStar MA – DSNP – CSNP
- ✓ MedStar CareFirst PPO

MedStar Health considers a **pediatric heart transplant** medically necessary for the following indications:

Members under the age of 18 years old requesting heart transplants must meet the specific criteria for recipient characteristics and the specific criteria for the transplant. *(For members 18 years of age or older refer to PA-029-Transplant: Adult Heart)*

Recipient Characteristics

The member's caregiver or established social support network which may include the mother and/or father, other family members, foster care parents, professional health providers, or some combination must meet both of the following:

1. Be capable of long-term intensive care of the child; and
2. Be able to support the exceptional needs of the child.

Specific Criteria for Pediatric Heart Transplant

Clinical indications for heart transplantation include the following:

1. Low cardiac output, and
2. Estimated life expectancy of less than one year without a transplant, and
3. Symptoms refractory or intolerable despite maximal medical therapy with digitalis, diuretics, and vasodilators at maximally-tolerated doses, and
4. Any one of the following underlying conditions:
 - a. Hypoplastic left heart syndrome with right ventricular dysfunction
 - b. Multiple obstructive cardiac neoplasms
 - c. Severe cardiomyopathy
 - d. Severe Ebstein's anomaly in early infancy
 - e. Complex single ventricle with systemic outflow obstruction
 - f. Single ventricle of right ventricular type with arterio-venous (AV) valve regurgitation
 - g. Pulmonary atresia with significant obstructive anomalies of the coronary arteries and intact ventricular septum and sinusoids
 - h. Severe intra-uterine AV valve insufficiency and ventricular dysfunction
 - i. Severe endocardial fibroelastosis

PA.030.MH – Transplant: Pediatric Heart

Policy Number: PA.030.MH
Last Review Date: 08/04/2016
Effective Date: 09/01/2016

- j. Complex heart disease associated with the Asplenia Syndrome

Limitations

- A. All other medical and surgical therapies that might be expected to yield both short- and long-term survival comparable to that of transplantation must have been tried or considered.
- B. Members must first undergo stringent physical and age appropriate psychological evaluation to determine eligibility for transplant. Members should have no other serious medical problems, and they should be psychologically willing to undergo the stressful surgery and postoperative care necessary.

Background

The International Society for Heart and Lung Transplantation estimates about 350-500 pediatric heart transplantation procedures are conducted each year. The majority of transplant recipients have a five year survival rate of more than 70%. The leading cause for infants and children are congenital malformations and cardiomyopathy, respectively.

According to the OPTN & SRTR Annual Data Report of 2012, the number of heart transplants performed annually continues to increase gradually. From 1998 to 2004, the number of heart transplants decreased by 14.2%. Since then, the number of heart transplants performed annually has increased by 17.1%

Codes:

N/A

References

1. Azeka E, Jatene MB, Tanaka AC, et al. Clinical recommendations for postoperative care after heart transplantation in children: 21 years of a single-center experience. Clinics. 2014 Jan; 69 (suppl 1) 47-50.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3884164/>
2. Canter CE, Shaddy RE, Bernstein D, et al. American Heart Association Scientific Statement. Indications for heart transplantation in pediatric heart disease, Circulation, 2007 Jan; 115(5):658-676. doi: 10.1161/CIRCULATIONAHA.106.180449.
<http://circ.ahajournals.org/content/115/5/658.full>
3. Chinnock RE., Ohye RG., Windle,ML...: Pediatric Heart Transplantation, Medscape. Updated October 16, 2012.
<http://emedicine.medscape.com/article/1011927-overview>
4. Center for Medicare and Medicaid Services: Heart Transplants, NCD No. 260.9, effective 5/1/2008 <http://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=112&ncdver=3&bc=AAAAGAAAAAAAAA%3d%3d&>

PA.030.MH – Transplant: Pediatric Heart

Policy Number: PA.030.MH
Last Review Date: 08/04/2016
Effective Date: 09/01/2016

5. Costanzo MR, Augustine S, et al. Selection and treatment of candidates for heart transplantation. A statement for health professionals from the Committee on Heart Failure and Cardiac Transplantation of the Council on Clinical Cardiology, American Heart Association. *Circulation*. 1995; 92(12):3593-3612.
<http://circ.ahajournals.org/content/92/12/3593.full>
6. Deng MC, Smits JM, Packer M. Selecting patients for heart transplantation: which patients are too well for transplant? *Curr Opin Cardiol*. 2002; 17(2):137-144. <http://www.ncbi.nlm.nih.gov/pubmed/11981245>
7. Frantz R & Olson L. Recipient selection and management before cardiac transplantation. *Am J Med Sci*. 1997 Sept, 314 (3):139-152.
<http://www.ncbi.nlm.nih.gov/pubmed/9298040>
8. Fricker FJ, Addonizio L, Bernstein D, et al. Heart transplantation in children: indications. Report of the Ad Hoc Subcommittee of the Pediatric Committee of the American Society of Transplantation (AST). *Pediatr Transplant*. 1999; 3:333-342. <http://www.ncbi.nlm.nih.gov/pubmed/10562980>
9. Laks H, Marelli D, Odum J, et al. Heart transplantation in the young and elderly. *Heart Fail Rev*. 2001 Sept; 6(3):221-226.
<http://www.ncbi.nlm.nih.gov/pubmed/11391040>
10. Mancini D. Indications and contraindications for cardiac transplantation. UpToDate. Topic 3528. Version 16.0. Last Updated: March 27, 2013.
http://www.uptodate.com/contents/indications-and-contraindications-for-cardiac-transplantation?source=search_result&search=cardiac+transplantation&selectedTitle=1%7E150
11. OPTN/SRTR 2012: Annual Data Report: Heart.
http://srtr.transplant.hrsa.gov/annual_reports/2012/pdf/05_heart_13.pdf
12. Steinman TI, Becker BN, Frost AE, et al. Guidelines for the referral and management of patients eligible for solid organ transplantation. *Transplantation*. 2001; 71(9):1189-1204. <http://www.ncbi.nlm.nih.gov/pubmed/11397947>
13. U.S. Preventive Services Task Force: Recommendations for child and adolescent, Accessed June 2013.
<http://www.uspreventiveservicestaskforce.org/tfchildcat.htm>

Disclaimer:

MedStar Health medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of MedStar Health and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

PA.030.MH – Transplant: Pediatric Heart

Policy Number: PA.030.MH
Last Review Date: 08/04/2016
Effective Date: 09/01/2016

MedStar Health reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent Health. Any sale, copying, or dissemination of said policies is prohibited.